

CLAIMS

What is claimed is:

1. A method of generating a formula expression for a cell that is at an intersection of a row and a column in a financial statement, comprising:
 - obtaining a row definition for the row, the row definition defining a term of the statement;
 - obtaining a column definition for the column, the column definition specifying a period of time; and
 - interpreting the row definition and the column definition to generate a formula expression for the cell.
2. The method of claim 1, wherein:
 - interpreting definitions to generate a formula is done with reference to the position of the cell with respect to other columns in the statement.
3. The method of claim 1, further comprising:
 - generating the formula expression for the cell on the fly in response to a change in either the row definition or the column definition.
4. The method of claim 3, further comprising:
 - evaluating the formula expression in each cell of the statement having a formula expression and displaying the resulting statement to a user; and
 - obtaining data for the formula expressions from a database.

1 9. The method of claim 3, further comprising:

2 providing three kinds of columns, namely base columns, subtotal columns, and
3 grand total columns, where for a row holding a flow term, a subtotal column has a row
4 value defined as the sum of base column values, and a grand total column has a row
5 value defined as the sum of subtotal columns, and for a row holding a stock term, a
6 subtotal column has a row value defined as a preceding base column value, and a grand
7 total column has a row value defined as a preceding subtotal column.

1 10. The method of claim 9, further comprising:

2 collapsing the period columns to show the user a view of the statement consisting
3 of the term column and total columns.

1 11. The method of claim 9, further comprising:

2 receiving from a user a subtotal time period for a subtotal column, comparing the
3 subtotal time period to the period of time covered by the statement, and extending the
4 period of time covered by the statement to allow computing the subtotal column.

1 12. The method of claim 9, further comprising:

2 receiving from a user a subtotal time period for a subtotal column, comparing the
3 beginning of the subtotal time period to the beginning of the period of time covered by
4 the statement, and leaving a row value in the subtotal column blank if the row has a flow
5 term.

1 13. The method of claim 9, further comprising:

2 accepting from a user a command to insert a subtotal column in the statement and
3 generating new formula expressions in cells of the statement reflecting this insertion.

1 14. The method of claim 13, further comprising:

2 accepting from a user a command to insert a grand total column in the statement
3 and generating new formula expressions in cells of the statement reflecting this insertion.

1 15. A method of populating a financial statement having columns and rows, comprising:
2

3 identifying an input database having columns as a source of input data for the
4 statement, the data in the columns corresponding to a database period unit of time;

5 identifying a statement period unit for the base columns of the statement, the
6 statement period unit being greater than the database period unit;

7 dynamically computing for each base column of the statement a correspondence
8 to more than one column of the input database; and

9 populating cells of a statement column using data from the corresponding
10 database columns. (101)

1 16. The method of claim 15, wherein the statement is displayed to a user and the user
2 can change the statement period unit, further comprising:

3 repopulating the cells in response to a change in the statement period unit.

1 17. The method of claim 15, further comprising:

2 automatically detecting the database base period unit from column labels read
3 from the database.

1 18. The method of claim 15, wherein the statement is displayed to a user, further
2 comprising:

3 inserting subtotal columns in the statement in response to a user request;

4 populating the statement including the subtotal columns with cell formulas for
5 calculating cell values including values for the subtotal columns.

8 dynamically compute for each base column of the statement a correspondence to
9 more than one column of the input database; and
10 populate cells of a statement column using data from the corresponding database
11 columns.

ad
c2 7

[illegible]